Wednesday, 22/10/2008 11:56:20 AM

User

Julie Dawson

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

S.O. No. :

Type

Job Number

: 42807 : 10178 **Estimate Number**

P.O. Number

This Issue

: 22/10/2008

: NC

: 11 First Issue

: 35919 **Previous Run**

Written By

Prsht Rev.

Checked & Approved By

Comment

est E 06.12.11

ecn 836

EC

: MACHINED PARTS

Make in Cobra KJ

Drawing Name

: PLUG

Part Number Drawing Number : D25941 : D2594 REV C

M08348 & 3A

: N/A **Project Number**

Drawing Revision

Material **Due Date**

Description:

: 06/01/2009

Qty:

200 Um:

Each

Additional Product

Job Number:



Seq. #:

1.0

Machine Or Operation:

M6061T6R0625 6061-T6 Round Bar .625"

0.0547 f(s)/Unit Total: 10.9410 f(s)

Material: 5052-H32 (QQ-A-225/7) or 6061-T6 (QQ-A-225/8)

1100-0 (QQ-A-225/1) Ø0.625" Rod

(M5052H32R0.625) or (M6061T6R0.625)

Batch

SECOND CHECK

M1080482101

HARDINGE CNC LATHE SMALL

2.0

HARDINGE

Comment: Qty.:

1-Make as per Dwg D2594-1 and Folio FA262.

2-Break all sharp edges 0.010 max.

3.0 QC2



Comment: HARDINGE CNC LATHE SMALL

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

QC8

Comment: SECOND CHECK

"HAND FINISHING"

HAND FINISHING RESOURCE #1

Comment: HAND FINISHING RESOURCE #1

Acid etch and alodine as per QSI 005 4.1

Page 1

Dart Aerospace Ltd

W/O:		WORK ORDER CI	WORK ORDER CHANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							-
				2 2			
Part No	:	PAR #: Fault Category:	NCR: Yes	s No DQ	A:	Date:	
			QA:	N/C Close	d:	_ Date: _	

I	WORK ORDER NON-CONFORMANCE (NCR)							
	Corrective Action Section B		Description of NC		Varification	A	A	
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector	
							!	
					•			
					*		 	
				-				
		# **						
	5							
	STEP	STEP Description of NC Section A	Section A Initial	STEP Section A Initial Action Description	STEP Section A Initial Action Description Sign &	STEP Section A Initial Action Description Sign & Section C	STEP Section A Initial Chief Eng Chi	

NOTE: Date & initial all entries

Date: Wednesday, 22/10/2008 11:56:20 AM Üser: Julie Dawson **Process Sheet Drawing Name: PLUG** Customer: CU-DAR001 Dart Helicopters Services Job Number: 42807 Part Number: D25941 Job Number: Seq. #: Machine Or Operation: Description: POWDER COATING POWDER COATING 6.0 102316 1:30 Comment: POWDER COATING 3700 Powder Coat **SANDTEX GREEN** (Ref. 4.3.5.1) per Dart QSI 005 4.3 (only larger dia. section necessary) 7.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE 9.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

w 08.00.31

Dart Aerospace Ltd

W/O:		WORK ORDER CHAN	WORK ORDER CHANGES						
DATE	STEP PROCEDURE CHANGE				Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
						-3			
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	\ :	Date:			

QA: N/C Closed: ____ Date: __

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Corrective Action Section B			Verification	Annessal	Annroyal		
DATE	STEP	Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto	
			·			,			
	-			<i>v</i>					
						*			
		·					:		
							ie.		

NOTE: Date & initial all entries

.016

DART AEROSPACE LTD	Work Order: /	12807
Description: Plug	Part Number:	D2594-1
Inspection Dwg: D2594 Rev: C		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X	First Article		Prototype
---	---------------	--	-----------


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.060	+/-0.005	-059				
0.500	+/-0.010	.500				
Ø0.625	+/-0.010	0,625			*	
Ø0.430	+0.000/-0.002	0.4295				
0.090	+0.000/-0.002	.088				
0.045	+0.000/-0.002	044				
		:9:				
	2.2					
·						
						a di
·						
, ,						

Measured by:	Audited by:	JL	Prototype Approval:	N/A
Date: 8/10/23	Date:	08/10/24	Date:	


Rev	Date	Change	Revised by	Approved
Α	04.01.21	New Issue	KJ/RF	
В	06.12.20	Dwg Rev. updated	KJ/JLM 110	
С	08.07.23	Diameter symbol added	KJ/DD ON	X



DESIG	*#	DRAWN BY		OSPACE LTD ONTARIO, CANADA
CHECK	KED	APPROVED	D2594	REV. C SHEET 1 OF 1
DATE	06.1	1.20	PLUG	SCALE 2:1
REV		DATE	DESC	RIPTION



REV	DATE	DESCRIPTION
A	96.09.16	NEW-ISSUE
В	97.03.15	ADD GROOVE AND O-RING
C	06.11.20	ADD PWDR COAT; ADD MS P/N TO D2594-3; ADD AMS SPECS; ADD TOLERANCE NOTE



D2594-1 PLUG

D2594-1 PLUG NOTES:

1) MATERIAL: ALUMINUM 5052-H32 ROUND BAR PER QQ-A-225/7 (REF DART SPEC M5052H32R) OR ALUMINUM 6061-T6/T651/T6510/T6511/T62 ROUND BAR PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116/4160 (REF DART SPEC M6061T6R) 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

POWDER COAT SPECIFIED FACES WHITE GLOSS (4.3.5.1) PER DART QSI 005 4.3

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED


5) BREAK ALL SHARP EDGES TO 0.010 MAX

D2594-3 O-RING NOTES:

1) 5/16 ID, 7/16 OD, 1/16 WIDTH 2) POSSIBLE SUPPLIER P/N: PARKER 2-011 OR MS28775-011 /C

PARTS LIST:

QTY	P/N	DESCRIPTION
Х	D2594	PLUG ASSEMBLY
1	D2594-1	PLUG
1	D2594-3	O-RING



D2594 PLUG ASSEMBL